



Revision: 27 Sep 2013

SAFETY DATA SHEET

SECTION 1 Identification of the substance or preparation and of the company/undertaking

1.1 Product identifier

- Product Name: CONDENSATE CONTROL
- Product Part Number: 774828 (25 liter)

1.2 Relevant identified uses of the substance or mixture and uses advised against

- Use of the substance/preparation: Water treatment

1.3 Details of the supplier of the safety data sheet

Name of Supplier:

Head Office:

Wilhelmsen Ships Service AS
Strandveien 20, N1324 Lysaker,
Norway Tel: (47) 6349 440 35

Supplier:

Wilhelmsen Ships Service AS
Willem Barentszstraat 50
3165AB Rotterdam
Telephone: +31 4877 777
Fax: +31 4877 888
The Netherlands

Other suppliers SEE SECTION 16!!!

For quotations contact your local Customer Services

-
- Responsible Person: Product HSE Manager
- Telephone: +31 10 4877775
- Email: WSS.GLOBAL.SDSINFO@wilhelmsen.com

1.4 Emergency telephone number

Emergency Telephone: -ONLY TO BE USED IN CASE OF AN INCIDENTNCEC:+

44 1865 407333, CHEMTREC (800) 424 9300

American Chemistry Council +1 703 527 3887,

Greece +30 210 7793777Australia: +61 3 9630 0998

Giftinformasjonsentralen in Norway Tel.: +47 22591300

Wilhelmsen Ships Service, Melbourne, AUSTRALIA Emergency 24hrs: +61 3 9630 0998

FOR QUOTATIONS PLEASE CONTACT YOUR LOCAL CUSTOMER SERVICES

SECTION 2 Hazards identification

2.1 Classification of the substance or mixture

- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.
- Refer to current The Dangerous Substances Directive (67/548/EEC)
- Symbols: C
- Causes burns (R34)
-
- Regulations 1272/2008/EEC. Classification, labeling and packing of dangerous substances and preparations
- Symbols: GHS07, GHS05
- Signal Word: Danger
- Acute Tox. 4

SECTION 2 Hazards identification (....)

- Skin Corr. 1B
- STOT SE 3
- Harmful if swallowed (H302).
- Harmful in contact with skin (H312).
- Harmful if inhaled (H332).
- Causes severe skin burns and eye damage (H314).
- May cause respiratory irritation (H335).

2.2 Label elements

- Signal Word: Danger
- Acute Tox. 4
- Skin Corr. 1B
- STOT SE 3
-
- Contains:
- 2-aminoethanol
- 2-diethylaminoethanol
-
- Hazard phrases
 - Harmful if swallowed (H302).
 - Harmful if inhaled (H332).
 - Harmful in contact with skin (H312).
 - Causes severe skin burns and eye damage (H314).
 - May cause respiratory irritation (H335).
- Precautionary Phrases
 - Wear protective gloves/protective clothing/eye protection/face protection (P280).
 - Avoid breathing dust/fume/gas/mist/vapours/spray (P261).
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338).
 - If eye irritation persists: Get medical advice/attention (P337+P313).
 - IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician (P301+P310).

2.3 Other hazards

- Not applicable
- Not a PBT according to REACH Annex XIII
- Odour: Amine odour
- Appearance: Liquid, pale yellow, miscible with water

SECTION 3 Composition/information on ingredients**3.1 Mixtures**

- 2-Aminoethanol
 - Concentration: 5-10%
 - CAS Number: 141-43-5
 - EC Number: 205-483-3
 - Symbols: C, GHS07, GHS05
 - R/H Phrases: R20/21/22, R34 - H302, H312, H314, H335
 - Categories: Acute Tox. 4, Skin Corr. 1B, STOT SE 3
- 2-Diethylaminoethanol
 - Concentration: 1-5%
 - CAS Number: 100-37-8
 - EC Number: 202-845-2
 - Symbols: C, GHS02, GHS07, GHS05

SECTION 3 Composition/information on ingredients (....)

R/H Phrases: R10, R20/21/22, R34 - H226, H302, H312, H332, H314
Categories: Flam. Liq. 3, Acute Tox. 4, Skin Corr. 1B

SECTION 4 First aid measures

4.1 Description of first aid measures

- IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower (P303+P361+P353).
- When in doubt or symptoms persist, seek medical attention
-
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing (P305+P351+P338).
- Get immediate medical advice/attention (P315).
-
- IF SWALLOWED: rinse mouth. Do NOT induce vomiting (P301+P330+P331).
- Give plenty of water to drink
- Never make an unconscious person vomit or drink fluids
-
- IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing (P304+P341).
- When in doubt or symptoms persist, seek medical attention

4.2 Most important symptoms and effects, both acute and delayed

- The ingestion of significant quantities may cause gastro-intestinal disturbances
- Mildly irritating to respiratory system
- Can cause damage to the eyes, skin and mucous membranes

4.3 Indication of any immediate medical attention and special treatment needed

- No information available
-

SECTION 5 Fire-fighting measures

5.1 Extinguishing media

- In case of fire: use water, alcohol resistant foam or dry agent for extinction (P370+P378)

5.2 Special hazards arising from the substance or mixture

- Smoke from fires is toxic. Take precautions to protect personnel from exposure

5.3 Advice for firefighters

- Wear chemical protection suit and positive-pressure breathing apparatus
-

SECTION 6 Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Wear protective clothing as per section 8

6.2 Environmental Precautions

- Avoid release to the environment (P273).
- Do not flush spilt material into any public water system

6.3 Methods and material for containment and cleaning up

- Absorb spillage in inert material and shovel up
- Ventilate the area and wash spill site after material pick-up is complete
- Place in sealable container
- Seal containers and label them
- Remove contaminated material to safe location for subsequent disposal

SECTION 6 Accidental release measures (....)

6.4 Reference to other sections

- See Section 13
-

SECTION 7 Handling and storage

7.1 Precautions for safe handling

- Eyewash bottles should be available
- Do not get in eyes, on skin, or on clothing (P262).
- See Section 8
- Wear protective clothing as per section 8

7.2 Conditions for safe storage, including any incompatibilities

- Store in a dry place. Store in a closed container (P402+P404).
- Store in a closed container (P404).

7.3 Specific end use(s)

- Contact supplier for further information
-

SECTION 8 Exposure controls/personal protection


8.1 Control parameters

- 2-Aminoethanol
TLV (TWA) 2.5 mg/m³ ()
- 2-Diethylaminoethanol
TLV (TWA) 50 mg/m³ ()

8.2 Exposure controls

- Engineering controls should be provided which maintain airborne concentrations as low as practicable

8.3 Occupational exposure controls



- Wear suitable protective clothing, including eye/face protection and gloves (plastic or rubber are recommended)
 - Penetration time of glove material:
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - Respiratory protection may be required under exceptional circumstances when excessive air contamination exists
 - Wear suitable respiratory protection. Gas cartridge (organic substances).
-

SECTION 9 Physical and chemical properties

9.1 Information on basic physical and chemical properties

- Odour: Amine odour
- Appearance: Liquid, pale yellow, soluble in water
- pH 11.5 - 12.5 at 100 % concentration
- Boiling point ~ 100 °C to 760 °C
- Completely soluble in water
- Density 0.99 - 1.101 g/cm³ at 20 deg C
- Flash point > 62 deg C (CC)

9.2 Other information

SECTION 10 Stability and reactivity

10.1 Reactivity

- This article is considered stable under normal conditions

10.2 Possibility of hazardous reactions

- No hazardous reactions known if used for its intended purpose

10.3 Incompatible materials

- Incompatible with acid

10.4 Conditions to avoid

- Avoid overheating

10.5 Hazardous Decomposition Products

- Decomposition products may include nitrogen and carbon oxides
-

SECTION 11 Toxicological information

11.1 Information on toxicological effects

- LD50 (oral, rat) (2-Aminoethanole) 1515 mg/kg
- LD50 (skin, rat) (2-aminoethanol) 4Hrs 1025 mg/kg
- LD50 (oral, rat) (2-diethylaminoetanol) 1320 mg/kg
- LD50 (skin, rat) (2-diehtylaminoethanol) 1100 mg/kg

11.2 Contact with eyes

- Prolonged skin or eye contact may cause chemical burns

11.3 Contact with skin

- Prolonged skin or eye contact may cause chemical burns

11.4 Ingestion

- The ingestion of significant quantities may cause gastro-intestinal disturbances
- The ingestion of significant quantities may cause damage to mucous membranes

11.5 Inhalation

- In cases of severe exposure, irritation may develop
-

SECTION 12 Ecological information

12.1 Toxicity

- LC50 (fish) (2-aminoethanol) 329 mg/l (96 hr)
- LC50 (fish) (2-diethylaminoethanol) 147 mg/l (96 hr)
- Biodegradability. OECD-test. 28 days >60 % (2-diethylaminoethanol)
- Biodegradability. OECD-test. 28 days >60 % ((2-aminoethanol))

12.2 Persistence and degradability

- The components in this product are readily biodegradable.

12.3 Bioaccumulation Potential

- Bioaccumulation of the components in this product is insignificant.

12.4 Mobility in soil

- Completely soluble in water

12.5 Results of PBT and vPvB assessment

- Not a PBT according to REACH Annex XIII

12.6 Other Adverse Effects

- Not applicable
-

SECTION 13 Disposal considerations

13.1 Waste treatment methods

- Do not discharge into drains or the environment, dispose to an authorised waste collection point
- Disposal should be in accordance with local, state or national legislation

13.2 Classification

- EU Waste class: 07.07.99
 - This material and/or its container must be disposed of as hazardous waste
-

SECTION 14 Transport information

14.1 UN

- UN No.: UN2735
- Proper Shipping Name: Amines, liquid, corrosive, N.O.S.(2-aminoethanol, 2-diethylaminoethanol mixture)
- Hazard Class: 8
- Packing Group: III

14.2 Environmental hazards

- Presents little or no hazard to the environment

14.3 Special precautions for user

- No special precautions are required for this product

14.4 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code

- Not applicable

14.5 Road/Rail (ADR/RID)

- ADR UN No.: UN2735
- Proper Shipping Name: Amines, liquid, corrosive, N.O.S.(2-aminoethanol, 2-diethylaminoethanol mixture)
- ADR Hazard Class: 8
- ADR subrisk: -
- ADR Packing Group: III
- ADR Flashpoint: -

14.6 Sea (IMDG)

- IMDG UN No.: UN2735
- Proper Shipping Name: Amines, liquid, corrosive, N.O.S.(2-aminoethanol, 2-diethylaminoethanol mixture)
- IMDG Hazard Class: 8
- IMDG subrisk: -
- IMDG Pack Group.: III
- IMDG EmS: F-A, S-B
- IMDG Flashpoint: -

14.7 Air (ICAO/IATA)

- ICAO Un No.: UN2735
- Proper Shipping Name: Amines, liquid, corrosive, N.O.S.(2-aminoethanol, 2-diethylaminoethanol mixture)
- ICAO Packing Group: III
- ICAO Hazard Class: 8
- ICAO subrisk: -
- ICAO Flashpoint: -

SECTION 14 Transport information (....)

14.8 DOT / CFR (US Department of Transportation)

- Identification Number: UN2735
 - DOT Proper Shipping Name: Amines, liquid, corrosive, N.O.S.(2-aminoethanol, 2-diethylaminoethanol mixture)
 - DOT Labels:
 - Product RQ (lbs): -
 - Hazardous Material: 2-aminoethanol, 2-diethylaminoethanol
 - Hazard Class: 8
 - DOT subrisk: -
 - DOT Flashpoint: -
-

SECTION 15 Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- This Safety Data Sheet has been prepared in accordance with article 31 and annex II in REACH and Directive 453/2010/EU.
- This Safety Data Sheet is provided in compliance with The Dangerous Substances Directive (67/548/EEC)
- Council Directive 1999/45/EEC Classification, packing and labelling of dangerous preparations.
- Regulations 1272/2008/EEC. Classification, labeling and packing of dangerous substances and preparations
-
- Norwegian Productregistration no: 17079
-
- This product is approved by the Norwegian Health Authorities and listed in Approved/evaluated chemicals for use in potable water supply onshore and offshore.

15.2 Chemical Safety Assessment

- None
-

SECTION 16 Other information

Text not given with phrase codes where they are used elsewhere in this safety data sheet:- H226: Flammable liquid and vapour. H302: Harmful if swallowed. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H332: Harmful if inhaled. H335: May cause respiratory irritation. R10: Flammable. R20/21/22: Harmful by inhalation, in contact with skin and if swallowed. R34: Causes burns.

The data given here is based on current knowledge and experience. This Safety Data Sheet describes the product in terms of safety requirements and does not signify any warranty with regard to the product's properties

The data given here only applies when product used for proper application(s). The product is not sold as suitable for other applications - usage in such may cause risks not mentioned in this sheet. Do not use for other application(s) without seeking advice from manufacturer

The information provided about the product on this Safety Data Sheet has been compiled from knowledge of the individual constituents

SECTION 16 Other information (....)

The most up-to-date version of this MSDS can be found on www.wilhelmsen.com/shipsservice

OTHER CONTACT INFORMATION MAJOR CHEMICAL OFFICES

Wilhelmsen Ships Service Level 17, 636 St Kilda Road Melbourne Vic 3004 AUSTRALIA
Tel: +61 3 9630 0900 Emergency 24hrs: +61 3 9630 0998

Wilhelmsen Ships Service INC 210 Edgewater Street US-10305 Staten Island New York United States
Telephone daytime: (+1) 718 815 1310 Fax: (+1) 718 233 3268

Wilhelmsen Ships Service INC 2200 W. Pacific Coast Highway US-90810 Long Beach California,
United States Tel (+1) 562 624 8888 Fax (+1) 562 624 1011

Wilhelmsen Ships Service INC 701 Ashland Ave. Ashland Center Two, Bay 12 US- 19032 Folcroft
Pennsylvania United States Tel (+1) 610 586 7801 Fax (+1) 215 701 0646

Wilhelmsen Ships Service INC. 9400 New Century Drive US-77507 Pasadena Texas United States
Telephone daytime: (+1) 281 867 2000 Fax: (+1) 281 867 2800

Wilhelmsen Ships Service Ltd. Unit 3A NewtonsCourt Crossways DA2 6QL Dartford, Kent United
Kingdom Tel (+44) 1322 282 412 Fax (+44) 1322 284 774

Wilhelmsen Ships Service Ltda Rua Bispo Lacerda nos.61/67 Del Catilho BR 21051120 Rio de Janeiro
Brazil Tel (+55) 21 25 82 8000 Fax (+55) 21 25 82 8001

Wilhelmsen Ships Service (S) Pte Ltd 186 Pandan Loop Singapore 128376 Tel (+65) 6395 4545

Wilhelmsen Ships Service Co., Ltd 12-31 Torihama-cho Kanazawa-ku Yokohama-shi JP-236 0002,
Japan Tel (+81) 45 775 0012 Fax (+81) 45 775 0070

Wilhelmsen Ships Service Hellas SA 100, D. Moutsopoulou & Serifou str GR-185 41 Piraeus Greece
Tel (+ 30) 210 4239100 Fax (+ 30) 210 4212480

Wilhelmsen Ships Service AS U.A.E . FI 24 Executive Heights, Tecom C Sheikh Zayed Road (East)
Dubai United Arab Emirates Tel (+971) 4 382 3888

Wilhelmsen Ships Service AS, Willem Barentszstraat 50 3165 AB Rotterdam-Albrandswaard,
the Netherlands. Tel (+31) 10 4877 777

